

*experience  
more  
together*

2026



[Global.cfmoto.com](https://www.global.cfmoto.com)

**ZHEJIANG CFMOTO POWER CO.,LTD.**  
NO.116,Wuzhou Road,Yuhang Economic Development Zone  
Hangzhou 311100,Zhejiang Province.

Tel:86-571-89265799  
Facebook:CFMOTO\_Official

Instagram:cfmoto\_world  
YouTube:CFMOTO

**CFORCE**  
**ACCESSORIES**



# ACCESSORIES



**CFORCE 450**  
**CFORCE 450L**  
**CFORCE 520**  
**CFORCE 520L**

P 09 — P 14

**CFORCE 625**  
**CFORCE 625 TOURING**

P 15 — P 20

**CFORCE 850 TOURING**  
**CFORCE 1000 TOURING**

P 21 — P 24

## **UNIVERSAL ACCESSORIES**

P 25 — P 28

## **WINCH & TOWING**

P 29 — P 30

## **SNOW PLOW**

P 31 — P 36

## **POWER**

P 37 — P 42

# 2026



# OVERLAND

## CFORCE 625 TOURING OVERLAND

Build with the CFORCE 1000 OVERLAND in mind, the CFORCE 625 TOURING OVERLAND is a factory, adventure-ready platform that will take you and your best wherever the trail leads. The only thing left is get outdoors and start your adventure.

### Front Bumper Assembly – light protection

9DS#-801400-6001

### Rear Bumper Assembly – light protection

9DS#-801300-6000

### Front Bumper Assembly – full protection

9DSV-801500-6000

### Rear Bumper Assembly – full protection

9DSV-801600-6000

### Front Windshield Assembly

9DSV-805100-6002

### Aluminum Skid Plate Assembly - 2UP

9CS#-804200-6401



VSX Midnight Camo



Granite Ridge



# 2026



## OVERLAND

### CFORCE 1000 OVERLAND

The CFORCE 1000 OVERLAND is an adventure-ready vehicle with a 963cc V-Twin engine and a cutting-edge suspension system for any terrain. It boasts a 7-inch TFT display, electronic power steering, and adaptable ride modes for a personalized off-road journey. With robust steel bumpers, an aluminum bash plate, and side cases for storage, it's crafted for the bold explorer.

#### Front Bumper Assembly

(Sold with the Vehicle Overland package)

#### Rear Bumper Assembly

(Sold with the Vehicle Overland package)

#### Light Mounting Bracket Assembly

(Sold with the Vehicle Overland package)

#### 11" LED Light Bar Assembly

(Sold with the Vehicle Overland package)

#### Aluminum Skid Plate Assembly

(Sold with the Vehicle Overland package)

#### A-Arm Protector Assembly

(Sold with the Vehicle Overland package)

#### OL Rear Box Assembly

9AWV-806700-8000

#### Front Windshield Assembly

9AWV-805200-8000

#### Heated Seat Assembly

9AWV-808300-8000

#### Heated Seat Assembly, EU167

9AWV-808400-8000

Desert Tan

Tactical Green





# MUD VERSION

## CFORCE 1000 MV

CFORCE 1000 MV, designed for mud play enthusiasts and thrill-seekers, has been meticulously optimized over multiple iterations to ensure that playing in the mud is not just fun, but an exhilarating experience.

### Fender Flares Kit

9AYV-804800-8500

### Traction Plate Kit

9AYV-801900-8500

### Mud Strap Assembly

9AYV-809000-8500

### Raised Intake & Outtake and Radiator Relocator Kit

· Front Bumper Assembly    · Radiator Relocator Kit

· CVT Snorkel Kit                · Front Seat Assembly

· Air Filter Snorkel kit

9AYV-802000-8500 Red

9AYV-803000-8500 Blue

### Rear 3500lbs Winch Kit

9AYV-807000-8500

### Infill Box Assembly

9AYV-806700-8500

### Wheel Track Kit

(Sold with the Vehicle Mud Edition package)

 Granite Ridge

 Twilight Blue



# CFORCE 450 / 450 L 520 / 520 L

## 1 Bumpers

- Front bumper
- Rear bumper
- Side protector kit

## 2 Storages

- Front & rear cargo box
- Front basket
- Cooler box
- Canvas Storage Bag

## 3 Racks & Brackets

- Front & rear rack extender
- Bracket for LED lights

## 4 Skid plates


- HDPE skid plate
- Aluminum skid plate
- Aluminum A-Arm protector

## 5 Protection & covers

- Extended fender flares
- Front Windshiled
- Hand guard Kit
- Heated handlebar grip

## 6 Others

- Tool holder
- Winch & towing kit
- Snow plow



### Front Bumper Assembly

Accessory Code: 9DQV-801100-3001

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Provides headlight protection and front protection of vehicle
- Perfectly fits on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring, Easy to install
- Compatible with CFMOTO winch system and plow system

\*\* this front bumper can attach side protector.



### Rear Bumper Assembly

Accessory Code: 9DQV-801300-3001

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Provides taillight protection and rear protection of vehicle
- Perfectly fits on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring, Easy to install
- Compatible with CFMOTO hitch system

\*\* this rear bumper can attach side protector.



### Side Protectors Kit – 1UP

Accessory Code: 9DQV-801200-3000

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Provides vehicle's side protection
- Perfectly fits on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring, Easy to install

\*\* It need to work with front bumper (9DQV-801100-3001) and rear bumper (9DQV-801300-3001) together.



### Mounting Bracket for LED light

Accessory Code: 9DQV-801800-3000

- This bracket is designed to mount LED light bar and Pod lights.
- Durable, E-coated with black powder coat
- Perfectly fits on front bumper (9DQV-801100-3001) of CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring, Easy to install



### Front Rack Extender Assembly

Accessory Code: 9DQV-802200-3000

- Steel Tube Diameter:  $\varnothing 22\text{mm}$
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 400 S / 400 Touring, Easy to install
- Helps keep cargo securely in place

\*\*Apply to CFORCE 400 S / 400 Touring only



### Rear Rack Extender Assembly

Accessory Code: 9DQV-802300-3000

- Steel Tube Diameter:  $\varnothing 22\text{mm}$
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 400 S / 400 Touring, Easy to install
- Helps keep cargo securely in place

\*\*Apply to CFORCE 400 S / 400 Touring only



## Rack Extender Assembly

Accessory Code: 9DRV-802400-3000

- Steel Tube Diameter:  $\varnothing$ 22mm
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 500 S / 500 Touring, Easy to install
- Helps keep cargo securely in place

\*\*The extender can be installed on front rack or rear rack of CFORCE 500 S / 500 Touring.



## Extended Fender Flares Assembly

Accessory Code: 9DQV-803100-3000

- Made of high strength polyethylene (thickness 2.5mm) for abrasion resistance
- Ultimate durability
- Integrated extended fender flares for full body protection from dirt and water



## Windshield Assembly

Accessory Code: 9DQV-805200-3000

- Made of impact-resistant 5mm thickness Acrylic
- Stable, quiet at low speed riding condition
- Excellent visibility, UV and weather endurance with no yellowing
- Driver wind protection
- Easy to install



## Front Basket Assembly

Accessory Code: 9DQV-802100-3000

- Perfectly fit on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring
- Large storage capacity can take 3 open face helmets
- Have 7 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front basket for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring.



## HDPE Skid Plate Assembly – 1UP

Accessory Code: 9DQV-804100-3001

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, Offering great protection in rough terrain
- The HDPE skid plate assembly includes HDPE A-Arm protectors and HDPE skid plate
- Perfectly fit on CFORCE 400 S & CFORCE 500 S



## HDPE Skid Plate Assembly – 2UP

Accessory Code: 9CQV-804200-3001

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, Offering great protection in rough terrain
- The HDPE skid plate assembly includes HDPE A-Arm protectors and HDPE skid plate
- Perfectly fit on CFORCE 400 Touring & CFORCE 500 Touring



## Front Cargo Box Assembly (lock latch)

Accessory Code: 9DQV-806200-3001

- Large storage capacity (14 Gallons, 54 Liters)
- Stylish look, Heavy duty plastic.
- The lid can be lifted by spring support, no fall down.
- The lid is multi-functional, with mounting holes for installing CFMOTO tool holders (852114-00001) or rack extender (9DQV-802200-3000), so some items can be loaded on the box firmly. (tools holders and rack extender need to be purchased individually.)
- With CFConnect, Easy to install and un-install, Tool-less.
- With water seal on the lid and No mounting holes inside of the box, a perfect water tight seal.
- The box bottom has draining hole for easy cleaning the inside of the box.
- Perfectly fit on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring.

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring.

\*\*Rack extender and tools holders need to be purchased separately.



## Cargo Box Assembly (rubber latch)

Accessory Code: 9AWV-806300-8001

## Cargo Box Assembly (lock latch)

Accessory Code: 9AWV-806300-8002



## Cargo Box Assembly (plastic latch)

Accessory Code: 9DQV-806100-3001



## Aluminum A-Arm Protectors

Accessory Code: 9CQV-804400-3000

- Made of aluminum plate (thickness 4mm)
- Ultimate durability, Offering great protection in rough terrain
- The A-Arm protectors can provide excellent protection to vehicle' A-arms. Also it can work with aluminum skid plate (9CQV-804300-3000) or (9DQV-804500-3000) to provide a full and great protection to vehicle.
- Perfectly fit on CFORCE 400 S / Touring & CFORCE 500 S / Touring



## Aluminum Skid Plate Assembly – 2UP

Accessory Code: 9CQV-804300-3000

- Made of aluminum plate (thickness 4mm)
- Ultimate durability, Offering great protection in rough terrain
- The aluminum skid plate can provide a good protection to vehicle bottom. And it can work with aluminum A-Arm protectors (9CQV-804400-3000) together to provide a full and great protection to vehicle.
- Perfectly fit on CFORCE 400 Touring & CFORCE 500 Touring



## Canvas Storage Bag

Accessory Code: 9DS#-809200-6000

- This canvas storage bag includes 5 individual storage spaces and 1 portable bag.
- The main storage bag can be divided into 3 pcs spaces by dividers.
- IPX4 waterproof
- Large capacity 99L

\*\*It could be used on CFMOTO CFORCE with rear rack extenders.



## Cargo Box Assembly (lock latch)

Accessory Code: 9DQV-806100-3003

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CFConnect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal With draining hole, easy to clean the inside of cargo box.

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the rear cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring.



## Cooler Box Assembly

Accessory Code: 9CQV-806800-3000

- 46L (12 U.S. gallon) cooler box.
- With CFConnect clamps, cooler box can be easily installed and un-installed.
- Rotomolded construction provides extreme rigidity and durability.
- Good seal and premium-quality foam insulation can ensure optimal ice retention.
- One removable compartment protects food.
- Use 2 robust rubber latches ensure the cover tightly closed.
- One drain plug can drain liquid from the cooler box easily.

\*\*This cooler box can be installed on CFORCE 520 / 520 L (Europe and others). But it can not be installed on CFORCE 450 / 450 L.

\*\*This cooler box can be installed on UFORCE 600 which equipped front rack. But Consumer's front sight will be affected by the box. So consumers can order the cooler box as their need.



## Hand Guard Kit

Accessory Code:

- 9DRV-804500-3000 New Royal Blue
- 9DRV-804600-3000 Camo
- 9DRV-804700-3000 Red
- 9DRV-804800-3000 Orange
- 9AW#-804700-2000 Black

- Protect driver's hands
- Hard plastic cover and plastic bracket
- Fit on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring perfectly



## Seat Cover

Accessory Code: 9DQV-808400-3000

- CFMOTO Seat Cover is designed for CFORCE 400S and CFORCE 500S (short version)
- It is made of canvas, and has drawstring and elastic cloth strap to ensure cover ATV seat firmly.
- Puncture-proof, Flame retardant, Tear-proof
- Seat cover is used to protect seat and make the riding comfortable.

# CFORCE 625 / 625 TOURING



2

5

3

6

1

4

## 1 Bumpers

- Front & rear bumper
- Front & rear bumper - Light protection
- Front & rear bumper - Full protection

## 2 Storages

- Front basket
- Rear cargo box
- Center cargo box
- Canvas Storage Bag

## 3 Racks & Brackets

- Front & rear rack extender - Separated
- Front & rear rack extender - One piece
- Passenger infill rack

## 4 Skid plates

- HDPE skid plate
- Aluminum skid plate

## 5 Protection & covers

- Front windshield
- Passenger gauntlet

## 6 Others

- Overland version kit
- Winch & towing kit
- Snow plow



## Front Bumper Assembly

Accessory Code: 9DS#-801100-6001

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system

\*\*It does not apply to vehicle equipping metal racks.



## Rear Bumper Assembly

Accessory Code: 9DS#-801200-6000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Works hitch system

\*\*not available for LOF.  
\*\*It does not apply to vehicle equipping metal racks.



## Front Bumper Assembly – light protection

Accessory Code: 9DS#-801400-6001

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system

\*\*It does not apply to vehicle equipping metal racks.



## Rear Bumper Assembly – light protection

Accessory Code: 9DS#-801300-6000

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Works hitch system

\*\*It does not apply to vehicle equipping metal racks.



## Front Bumper Assembly – full protection

Accessory Code: 9DSV-801500-6000

- Steel Tube diameter 38mm & wall thickness 1.5mm
- Durable, E-coated with black powder coat
- It is used to replace the stock bumper, perfectly fit on X6.
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system




## Rear Bumper Assembly – full protection

Accessory Code: 9DSV-801600-6000

- Steel Tube diameter 38mm & wall thickness 1.5mm
- Durable, E-coated with black powder coat
- It is used to replace the stock bumper, perfectly fit on X6.
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Works hitch system





### Front Rack Extender Assembly - separated

Accessory Code: 9DS#-802100-6000

### Rear Rack Extender Assembly - separated

Accessory Code: 9DS#-802200-6000

- Steel Tube Diameter:  $\varnothing$ 22mm
- Durable, E-coated with black powder coat
- Easy to install
- Helps keep cargo securely in place
- Small carton package save the freight cost

\*\*It does not apply to vehicle equipping metal racks.



### Front Rack Extender Assembly - one piece

Accessory Code: 9DS#-802300-6000

### Rear Rack Extender Assembly - one piece

Accessory Code: 9DS#-802400-6000

- Integrated rack extender
- Steel Tube Diameter:  $\varnothing$ 22mm
- Durable, E-coated with black powder coat
- Easy to install
- Helps keep cargo securely in place

\*\*It does not apply to vehicle equipping metal racks.



### Windshield Assembly (new)

Accessory Code: 9DSV-805100-6002

- Made of impact-resistant 5mm thickness Acrylic
- Stable, quiet at low speed riding condition
- UV and weather endurance with no yellowing
- Driver wind protection
- Excellent visibility
- Easy to install



### Passenger Gauntlet Assembly

Accessory Code: 85214G-00001

- Outer made of Canvas, Inside made of polyester fiber
- Keep passenger's hands warm in the cold weather
- With Velcro and snap-fit, easy to install and remove

\*\*apply to CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### Aluminum Skid Plate Assembly - 2UP

Accessory Code: 9CS#-804200-6400 (2022MY and prior)

9CS#-804300-6401 (2023MY and 2024MY)

### Aluminum Skid Plate Assembly - 1UP

Accessory Code: 9DS#-804300-6000 (2022MY and prior)

9DS#-804300-6001 (2023MY and 2024MY)

- Made of high strength aluminum (thickness 5mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain

\*\*Rear A-Arm aluminum armor can not be used on 2024MY X6. So Rear A-Arm aluminum armor does not include in the skid plate assembly.

\*\*But 8mm HDPE A-Arm armor can be used on 2024MY X6. Please contact with the sale person to order that, if you need.



### HDPE Skid Plate Assembly - 2UP

Accessory Code: 9CSV-805300-6400 (2022MY and prior)

9CSV-805300-6401 (2023MY and 2025MY)

### HDPE Skid Plate Assembly - 1UP

Accessory Code: 9DSV-805200-6000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on CFORCE 625 Touring perfectly

\*\*Apply to 2022MY and prior CFORCE 625 Touring



### Cargo Box Assembly (plastic latch)

Accessory Code: 9DSV-806100-6001

### Cargo Box Assembly (lock latch)

Accessory Code: 9DSV-806100-6007

- Large storage capacity (24 Gallons, 90 Liters) can take 2 open face helmets and 1 full face helmet
- Lockable lid, Stylish look, Heavy duty plastic
- With CFConnect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal

\*\*It does not apply to vehicle equipping metal racks.



### Cargo Box Assembly (plastic latch)

Accessory Code: 9DSV-806100-6003

### Cargo Box Assembly (lock latch)

Accessory Code: 9DSV-806100-6006

- Large storage capacity (24 Gallons, 90 Liters) can take 2 open face helmets and 1 full face helmet
- Lockable lid, Stylish look, Heavy duty plastic
- With CFConnect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal

\*\*It does not apply to vehicle equipping metal racks.



### Center Cargo Box Assembly

Accessory Code: 9AYV-806200-2A00

- Large storage capacity (15.8 Gallons, 60 Liters)
- Lockable lid, Water tight seal
- With CFConnect, Easy to install and un-install, Tool-less
- Stylish look
- Heavy duty plastic
- Fit on CFORCE 625 Touring, CFORCE 850 XC & CFORCE 1000 perfectly
- No mounting holes inside of cargo box.



### Rear Cargo Box Assembly

Accessory Code: 9AYV-806100-2A00

- Large storage capacity (30 Gallons, 115 Liters) can take 4 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- Water tight seal
- With CFConnect, Easy to install and un-install, Tool-less
- Fit on CFORCE 625 S/L, CFORCE 850 XC & CFORCE 1000 perfectly

\*\*For CFORCE 625 S/L, apply to mounting holes B. For CFORCE 850 XC & CFORCE 1000, apply to mounting holes A.



### Front Basket Assembly

Accessory Code: 9DSV-802100-6000

- Perfectly fit on CFORCE 625 and CFORCE 625 Touring
- Large storage capacity can take 3 open face helmets
- Have 9 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CFConnect, Easy to install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools

\*\*It does not apply to vehicle equipping metal racks.



### Canvas Storage Bag

Accessory Code: 9DS#-809200-6000

- Transport gear in a weatherproof bag
- IPX4 waterproof
- Large capacity 99L
- Designed to maximize potential storage
- Extra compartments on top to store goods

\*\*It could be used on CFMOTO CFORCE 625 & 625 Touring, CFORCE 850 XC & CFORCE 1000 with rear rack extender.

\*\*It does not apply to vehicle equipping metal racks.



### Passenger Infill Rack Assembly

Accessory Code: 9DSV-803100-6000

- Passenger infill rack extend the loading capacity of ATV
- Built a big flat rear rack for taking big items.
- With CFConnect mounting holes, more Accessories can be installed on the rack easily.
- Easy to install and uninstall, Tool-less

\*\*Passenger infill rack assembly can be used on CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### 10'' LED Light Bar Assembly

Accessory Code: 9DS#-809900-6000

- 10'' LED light bar
- 2700 lumens LED light (6 beads x 5w)
- OSRAM high power Led chips
- Anti-glare optical design
- IP68 waterproof
- Fits front bumper, easy to install
- Long range illumination up to



### Trailer Socket & Adaptor Assembly (6 pins)

Accessory Code: 7020-800200-1000

- Use for all CFMOTO vehicle with trailer
- The socket cover defense against dirt and water
- Power socket is for trailer in most markets, added Adaptor is for North America Market
- It is for 6 pins plug

\*\*For CFMOTO vehicles without trailer power socket.

# CFORCE 625



# CFORCE

## 850/1000 TOURING

### 1 Bumpers & Racks

- Front bumper
- Rear bumper
- Rack extender

### 2 Storages

- Front & rear basket
- Front & rear cargo box
- Cooler box
- Canvas Storage Bag

### 3 Skid plates

- HDPE skid plate
- Aluminum skid plate
- Aluminum A-Arm protector

### 4 Protection & covers

- Front windshiled
- Passenger gauntlet
- Heated seat
- Fender flares

### 5 Others

- Mud version kit
- Overland version kit
- Winch & towing kit
- Snow plow



### Front Windshield Assembly

Accessory Code: 9AWV-805100-8000

- Made of impact-resistant 5mm thickness Acrylic
- Stable, quiet at low/speed riding condition
- UV and weather endurance with no yellowing
- Driver wind protection
- Excellent visibility
- Easy to install



### Front Bumper Assembly

Accessory Code: 9AWV- 801100-8000(black)

9AWV-801100-8000-10(red), 9AWV-801100-8000-11(orange)

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Provides front protection of vehicle
- Headlight protection, Easy to install
- Anti-corrosion coating with durable coat finish
- Compatible with winch system and plow system

\*\* LED lights and the mounting brackets need to be purchased separately.



### Rear Bumper Assembly

Accessory Code: 9AWV- 801200-8000(black)

9AWV-801200-8000-10(red), 9AWV-801200-8000-11(orange)

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Anti-corrosion coating with durable coat finish
- Compatible with hitch system



### Rack Extender Assembly

Accessory Code: 9AWV-801300-8000

- Steel Tube Diameter:  $\phi 22\text{mm}$
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 850 Touring / CFORCE 1000 Touring, Easy to install
- Helps keep cargo securely in place



### Passenger Gauntlet Assembly

Accessory Code: 85214G-00001

- Outer made of Canvas, Inside made of polyester fiber
- Keep passenger's hands warm in the cold weather
- With Velcro and snap-fit, easy to install and remove

\*\* apply to CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### HDPE Skid Plate Assembly

Accessory Code: 9AWV-806100-8000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, High impact strength
- HDPE skid plate assembly works with aluminum A-Arm protectors (9AWV-806300-8000). (Aluminum A-Arm Protectors need to be purchased separately.)
- Offering great protection in rough terrain



## Aluminum Skid Plate Assembly

Accessory Code: 9AWV-806200-8000

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High impact strength
- Aluminum skid plate (9AWV-806200-8000) can work with 8mm HDPE skid plate (9AWV-806200-8000) or 4mm Aluminum A-Arm Protectors (9AWV-806100-8000).
- Offering great protection in rough terrain



## Aluminum A-arm Protectors

Accessory Code: 9AWV-806300-8000

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High impact strength
- Aluminum A-Arm Protectors (9AWV-806300-8000) can work with 8mm HDPE skid plate (9AWV-806100-8000) or 4mm Aluminum Skid Plate (9AWV-806200-8000).
- Offering great protection in rough terrain



## Front Cargo Box Assembly (lock latch)

Accessory Code: 9DQV-806200-3001

- Large storage capacity (14 Gallons, 54 Liters)
- Stylish look, Heavy duty plastic.
- The lid can be lifted by spring support, no fall down.
- The lid is multi-functional, with mounting holes for installing CFMOTO tool holders (852114-00001) or rack extender (9DQV-802200-3000), so some items can be loaded on the box firmly, (tools holders and rack extender need to be purchased individually.)
- With CFConnect, Easy to install and un-install, Tool-less.
- With water seal on the lid and No mounting holes inside of the box, a perfect water tight seal.
- The box bottom has draining hole for easy cleaning the inside of the box. Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring.

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFORCE 1000 Touring.

\*\*Rack extender and tools holders need to be purchased separately.



## Cargo Box Assembly (Plastic latch)

Accessory Code: 9DQV-806100-3001

## Cargo Box Assembly (Lock latch)

Accessory Code: 9DQV-806100-3003

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CFConnect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.



## OL Rear Cargo Box Assembly

Accessory Code: 9AWV-806700-8000

- Large storage capacity (29 Gallons, 110 Liters) can take 2 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CFConnect, Easy to install and un-install, Tool-less
- The mounting holes locate inside of the cargo box, a perfect Water tight seal
- The box lid has stainless steel metal decorative plate to increase the box's durability and elegant appearance



## Canvas Storage Bag

Accessory Code: 9DS#-809200-6000

- This canvas storage bag includes 5 individual storage spaces and 1 portable bag.
- The main storage bag can be divided into 3 pcs spaces by dividers.

\*\*It could be used on CFMOTO CFORCE with rear rack extenders.



## Cooler Box Assembly

Accessory Code: 9CQV-806800-3000

- 46L (12 U.S. gallon) cooler box.
- With CFConnect clamps, cooler box can be easily installed and un-installed.
- Rotomolded construction provides extreme rigidity and durability.
- Good seal and premium-quality foam insulation can ensure optimal ice retention.
- One removable compartment protects food.
- Use 2 robust rubber latches ensure the cover tightly closed.
- One drain plug can drain liquid from the cooler box easily.

\*\*This cooler box can be installed on CFORCE 520 / 520 L and CFORCE 850 Touring & CFORCE 1000 Touring.

\*\*This cooler box can be installed on UFORCE 600 which equipped front rack. But Consumer's front sight will be affected by the box. So consumers can order the cooler box as their need.



## Front Basket Assembly

Accessory Code: 9DQV-802100-3000

- Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring
- Large storage capacity can take 3 open face helmets
- Have 7 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CFConnect, Easy to install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front basket for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFORCE 1000 Touring.



## Fender Storage Bag

Accessory Code: 85244B-00900

- This fender bag includes 2 separate bags. Each bag has 3 individual spaces (two in the inside, one mesh pouch at the exterior) to take small items and belongings.
- The fender bag has zip on. Consumer can easily access the items stocked in bags, and does not worry the items would drop off in riding.
- The fender bag can easily be connected or removed on/from front left fender.



CFORCE 850 / 1000 TOURING



# CFORCE

UNIVERSAL  
ACCESSORIES



## Vehicle Cover

Accessory Code: 85224Z-00000 (Dark Green)

85224Z-00100 (CFMOTO Blue), 85244Z-00000 (210D Black)

85244Z-00100 (200D Black)

- CFMOTO storage cover with CFMOTO logo
- With reflecting straps, visually obvious.
- Made of UV-resistant solution 100% polyester
- Protects windshield and vehicle body panels from abrasion
- Weather-resistant cover protects your vehicle during storage and transportation.
- Perfectly fit CFORCE 400 Touring & CFORCE 500 Touring & CFORCE 600 Touring & CFORCE 850 Touring and CFORCE 1000 Touring with or without CFMOTO Accessories (bumpers, rear box, front box, front basket, windshield and others)
- The cover can be fit on CFORCE 400 & CFORCE 500 & CFORCE 600 with or without CFMOTO Accessories, but a little loose.



## Vehicle Triling Cover

Accessory Code: 85244Z-00200

- CFMOTO Triling cover with CFMOTO logo
- With reflecting straps, visually obvious.
- Made of UV-resistant solution 100% polyester
- Protects windshield and vehicle body panels from abrasion
- Weather-resistant triling cover protects your vehicle during storage and transportation.
- Perfectly fit CFORCE 400 Touring & CFORCE 500 Touring & CFORCE 600 Touring & CFORCE 850 Touring and CFORCE 1000 Touring with or without CFMOTO Accessories (bumpers, rear box, front box, front basket, windshield and others)
- The cover can be fit on CFORCE 400 & CFORCE 500 & CFORCE 600 with or without CFMOTO Accessories, but a little loose.



### Tools Box Assembly

Accessory Code: 5BYV-804100-1000

- Tool box can take the necessary tools and small items
- Use Velcro to lock the tool box on vehicle, easy to change the place
- With tool box, consumer can get the tool anytime and anywhere.
- L x W x H: 422 x 170 x 57mm (16.6 x 6.9 x 2.2 inch)

\*\*the box does not include tools. Consumers can order tools and put them in the box as needed.

\*\*the box is available for CFMOTO ATV/SxS.



### Oil Filter Kit

Accessory Code: 080V-808200-1000

- The kit includes 1 pcs oil filter (0800-011300-0004), 1 pcs oil seal ring (0800-014003), 1 pcs washer (0010-021014), 1 pcs washer (0JWA-021003) and 1 pcs bandana (TSCGN236)
- Make the service and maintenance be easy.
- Apply to CFMOTO 400cc-1000cc CFORCE, UFORCE and ZFORCE.

\*\* washer (0JWA-021003) is for 800cc and 1000cc vehicle only.

\*\* If apply this oil filter kit to other vehicles, you do not need to use this spacer. Please keep it in a safety place for future using.



### CFMOTO Tool Holder, Pair

Accessory Code: 852114-00006

- Tool Holder FlexGrip™ by ATV-TEK with CFConnect™ system
- This holder opening can be adjusted to apply to different size tools
- A true custom fit for your lifestyle, use it for guns, bows, tools, or any other item.
- CFMOTO riders have effortless installation and versatility thanks to a finger adjustable rotation of the grip and convenient mounting options with CFConnect™

\*\*For CFMOTO vehicles with CFConnect™ system



### CFMOTO Tool Holder, Pair

Accessory Code: 852114-00001

- Tool Holder FlexGrip™ by ATV-TEK with CFConnect™ system
- A true custom fit for your lifestyle, use it for guns, bows, tools, or any other item.
- CFMOTO riders have effortless installation and versatility thanks to a finger adjustable rotation of the grip and convenient mounting options with CFConnect™

\*\*This holder can work on front box (9DQV-806200-3001).

When install on front box, 2 CFConnect Base (9DQV-809100-3000) need to be purchased and installed individually.

\*\*For CFMOTO vehicles with CFConnect™ system



### CFConnect Clamp Kit

Accessory Code: 9DS#-809000-6000

- This kit includes a pair of CFConnect clamps
- CFMOTO owns the patents of CFConnect Clamp.
- CFConnect Clamp can be used on all CFMOTO vehicles for installing and un-installing CFMOTO Accessories easily.
- The clamps can be used to fix CFMOTO cargo boxes, baskets, cooler boxes and bed racks on vehicles firmly.



### CFConnect Base Assembly

Accessory Code: 9DQV-809100-3000

- The base is used to installed on CFORCE 400 racks for attaching
- CFConnect clamp.

\*\*CFORCE 400S and CFORCE 400 Touring racks have no CFConnect bases.

\*\*Consumers need to install the CFConnect Bases on the racks of CFORCE 400 S and CFORCE 400 Touring before using CFConnect clamps to install box, basket, cooler box or other Accessories on these ATVs.



### Heated Handlebar Grip Assembly

Accessory Code: 9AWV-808100-8000

- The heating grip kit can make ATV riding be comfortable in the light cold weather.
- LED dimmer facilitates reading temperature settings
- 5 temperature settings for thumb and grips
- Perfectly fit on CFMOTO ATV
- The power of this kit is 51.5W. The heating temperature can reach as high as 40 C ± in the cold environment.



### Passenger Gauntlet Assembly

Accessory Code: 85214G-00001

- Outer made of Canvas, Inside made of polyester fiber
- Keep passenger's hands warm in the cold weather
- With Velcro and snap-fit, easy to install and remove

\*\* apply to CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### 8L Cooler Bag

Accessory Code: 85244B-00400

### 17L Cooler Bag

Accessory Code: 85244B-00300

- 8L cooler bag can take 12 cans of 330ml drinks. 17L cooler bag can take 30 cans of 330ml drinks. Its compact size can fit in cargo box or the cabin easily.
- 360 degrees of superior insulation to keep the cold for days
- With ergonomic carry strap and handle strap, easy to carry the cooler bag by shoulder or hand
- With wide-mouth opening, allow easy access and visibility to the contents. And small items can be stocked in the zipped front compartment separately.
- Rugged nylon siding & reinforced zippers for maximum toughness, and make the bag easy to wash, puncture-resistant and waterproof.

\*\*8L cooler bag can fit in CFORCE cargo box (9DQV-806100-3001 / 9DQV-806100-3004), U10/U10 XL and U6/U8 XL cargo boxes, and ZFORCE

\*\*17L cooler bag can fit in U10/U10 XL and U6/U8 XL cargo boxes, and ZFORCE seat boxes



### Cooler Bag - Foldable

Accessory Code: 85244B-00600

- One cooler bag has two usage forms that can be freely switched, and with removable shoulder strap and carry handles.
- Beautiful appearance, with multiple hanging points on the external body for easy hanging items, and also equipped with a bottle opener
- 8mm EPE pearl cotton can retain cold for a long time
- Water-resistant interior liner, antibacterial technology for deodorization, easy to clean, environmentally friendly, and allows for direct contact with food
- It can easily contain 6 \* 330ml can drinks



### Whip Flag

Accessory Code: 9DSV-807100-6000

9DSV-807200-6000

- Make sure everyone knows what you are riding
- Perfect for the dunes and new riders
- 7.5-ft.(2.3m) length
- Includes flag mount

\*\*9DSV-807200-6000 is used for CFORCE 625 & Touring, DSV-807100-6000 is used for CFORCE 400, 500, 800/850/1000 & Touring



## Winch Assembly

Accessory Code: 9CQV-807000-3000

- Winch kit can be easily installed on the wired vehicle.
- 50 ft. of 3/16" (15.2 m) wire steel cable.
- Pulling strength capability of 2,500 lb (1,134 kg).
- Heavy-duty four-way roller fairlead.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Sealed solenoid for all-weather protection.
- Weather-sealed handlebar-mounted switch.
- EC-compliant.
- Wired remote control, wireless remote control, fairlead and synthetic rope are Accessories of the winch kit. They are sold separately.



## Synthetic Winch Rope

Accessory Code: 7020-800750

- High strength winch rope, pull up to 4500 lbs
- Rope length up to 12 meters.
- Light weight, easy to carry
- Durable, sea water resistance, UV resistance and temperature difference repetition, etc
- Convenient, fast and safe operation

\*\*it could be used on any CFMOTO vehicle which equipped with a winch



## Trailer Socket & Adaptor Assembly (8 pins)

Accessory Code: 9DQV-800200-3000

- Use for all CFMOTO vehicle with trailer
- The socket cover defense against dirt and water
- Power socket is for trailer in most markets, added Adaptor is for North America Market
- It is for 8 pins plug

\*\*For CFMOTO vehicles without trailer power socket.



## Winch Rope Fairlead

Accessory Code: 7030-150701

- Used with CFMOTO winch
- Aluminum fairlead reduces wear on wire rope for heavy attachment application

\*\*it could be used on any CFMOTO vehicle which equipped with a winch



## Winch Rope Stopper

Accessory Code: 9DQV-808600-3000

- Used with CFMOTO winch
- It can stop winch rope rotate back too much and protect winch rope.

\*\*it could be used on any CFMOTO vehicle which equipped with a winch



## Hitch Kit (290mm)

Accessory Code: 9AW#-808100

- 2 inch hitch kit for ATV/UTV
- 290mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

\*\*CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can pick up the hitch kit which he need.



## Winch Fairlead Kit

Accessory Code: 9AWV-808600-8000

- Used with CFMOTO winch
- It includes a fairlead, a hook and a stopper.

\*\*it could be used on any CFMOTO vehicle which equipped with a winch



## Tree Saver Strap

Accessory Code: 9DS#-808302-6000

- Large eyes with heavy duty chafe protection allow for easy rigging
- Bright yellow nylon provide excellent visibility when winching
- Center chafe protects from abrasion damage

\*\*available for ATV/SxS



## Hitch Kit (136mm)

Accessory Code:7000-808100

- 2 inch hitch kit for ATV/UTV
- 136mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

\*\*CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can pick up the hitch kit which he need.



# CFORCE

**PLOW SYSTEM  
ACCESSORIES**





### Plow Mount Bracket Assembly – G2

Accessory Code: 9DQV-804200-3000

- G2 plow mount is available for CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring
- Wall Thickness: 6mm
- Install on the front of vehicle easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Mount Bracket Assembly – G2

Accessory Code: 9DSV-804100-6001

- G2 plow mount is available for CFORCE 625 & CFORCE 625 Touring
- Wall Thickness: 6mm
- Install on the front of vehicle easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Mount Bracket Assembly

Accessory Code: 9AWV-804100-8000

- For CFORCE 800 Touring & CFORCE 1000 Touring
- Wall Thickness: 6mm
- Install on the front of vehicle easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Push Tube Assembly – G2

Accessory Code: 5KWV-804600-1000

- For CFMOTO plow
- Plow wall thickness 5mm
- Attach the plow mount bracket at the front of vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Push Tube Assembly

Accessory Code: 9AWV-804600-8000

- For CFMOTO plow
- High strength push tube
- Attach the plow mount bracket at the front of CFORCE 800 Touring and CFORCE 1000 easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### 50" Plow Blade Assembly – G2

Accessory Code: 9CQV-804700-3000

### 60" Plow Blade Assembly – G2

Accessory Code: 9AWV-804700-8000

### 72" Plow Blade Assembly – G2

Accessory Code: 5HYV-804700-1000

- For CFORCE and UFORCE
- Plow wall thickness 2.5mm
- Attach the plow push tube at the front of vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.

\*\*The other parts of the plow system need to be purchased separately.  
\*\*For G2 blade, please remember to order spring kit.



### 50" Plow Deflector Assembly

Accessory Code: 9DRV-804500-1100

### 60" Plow Deflector Assembly

Accessory Code: 9AWV-804500-2000

### 72" Plow Deflector Assembly

Accessory Code: 5HYV-804500-1000

- For CFMOTO Snow Plow
- Keeps snow from flying into your face
- Made of black hard rubber
- Use metal plate and bolts to lock deflector on plow firmly
- Compatible with plow markers & fenders

\*\*The other parts of the plow system need to be purchased separately.



### G2 Red Spring Kit – 1 pair


Accessory Code: 9AWV-804640-8000

### G2 Black Spring Kit – 1 pair

Accessory Code: 9AWV-804650-8000

- Apply to CFMOTO G2 plow.

\*\*The other parts of the plow system need to be purchased separately.



### Plow Fender

Accessory Code: 5HYV-804400-1000

- For CFMOTO plow
- Wall Thickness: 3mm
- Install on CFMOTO plow system easily
- E-coated with black powder coat
- Reminding: this code is for 1 plow fender, please remember to order a pair of fenders for your plow.

\*\*The other parts of the plow system need to be purchased separately.



### Plow Markers, Pair

Accessory Code: 5HYV-806400-1000

- For CFMOTO plow, Sold in pairs
- Height: 75mm (29.5 inch)
- Bright orange color, help locate the edges of plow
- Install on CFMOTO plow system easily

\*\*The other parts of the plow system need to be purchased separately.



### Plow Strap

Accessory Code: 9DQV-808500-3000

- Apply to CFMOTO plow
- A reliable 45.6 inches (1.16m) length strap that replaces winch rope for lifting plow (Total length = 70.5 inches (1.79m))
- 1.25 inches (32mm) Wide design reduces wear and tear on winch roller or fairlead
- Made from durable polyester fiber material, can bear as much as 3200lbs pull capacity

\*\*The other parts of the plow system need to be purchased separately.

Select your Vehical

Select a Mount

Select a Push Tube

Recommended blade size



**CFORCE 450 S/L**  
**CFORCE 520 S/L**



**Plow Mount Bracket Assembly – G2**  
Accessory Code: 9DQV-804200-3000



**Plow Push Tube Assembly – G2**  
Accessory Code: 5KWV-804600-1000



**50" Plow Blade Assembly – G2**  
Accessory Code: 9CQV-804700-3000



**CFORCE 625 & 625 TOURING**



**Plow Mount Bracket Assembly – G2**  
Accessory Code: 9DSV-804100-6001



**Plow Push Tube Assembly – G2**  
Accessory Code: 5KWV-804600-1000



**50" Plow Blade Assembly – G2**  
Accessory Code: 9CQV-804700-3000  
**60" Plow Blade Assembly – G2**  
Accessory Code: 9AWV-804700-8000



**CFORCE 850 & 1000 TOURING**



**Plow Mount Bracket Assembly**  
Accessory Code: 9AWV-804100-8000



**Plow Push Tube Assembly**  
Accessory Code: 9AWV-804600-8000



**60" Plow Blade Assembly – G2**  
Accessory Code: 9AWV-804700-8000  
**72" Plow Blade Assembly – G2**  
Accessory Code: 5HYV-804700-1000

Select accessories

Essential accessories:



**G2 Red Spring Kit – 1 pair**

Accessory Code: 9AWV-804640-8000

**G2 Black Spring Kit – 1 pair**

Accessory Code: 9AWV-804650-8000

Optional accessories:

- Plow Side Fenders - 5HYV-804400-1000
- 50" Plow Upper Deflectors - 9DRV-804500-1100
- 60" Plow Upper Defenders - 9AWV-804500-2000
- 72" Plow Upper Defenders - 5HYV-804500-1000
- 50" Plow Blade Ware Bars -9CQV-804720-3000
- 60" Plow Blade Ware Bars -9AWV-804720-8000
- 72" Plow Blade Ware Bars -5HYV-804720-1000
- Plow Markers - 5HYV-806400-1000
- Plow strap - 9DQV-808500-3000
- Plow strap (HD) - 9AWV-808800-8000



**50" Plow Deflector Assembly**

Accessory Code: 9DRV-804500-1100

**60" Plow Deflector Assembly**

Accessory Code: 9AWV-804500-2000

**72" Plow Deflector Assembly**

Accessory Code: 5HYV-804500-1000



**Plow Fender**

Accessory Code: 5HYV-804400-1000



**Plow Markers, Pair**

Accessory Code: 5HYV-806400-1000



**Plow Strap**

Accessory Code: 9DQV-808500-3000





# CFMOTO POWER

## CFMOTO POWER – Generator G1

Accessory Code: i45, i45E

- Convenient rear cover for repair and all maintenance items
- Compact size, 10% less than competitors, to save space
- Fashionable design to attract eyesight
- Super silent, not disturb other persons
- 2.5% lower THD stable output for precise instrument
- Lower fuel consumption, especially conventional generators
- Patented inner and outer structures, more strength and stability



### Stackable design

- Flat top design, as a table, easily to place extra stuff on;
- Stackable design to save space and move easily;

### Noise

- Super silent model with noise proof plastic housing and inner noise reduction design, to give you a quite experience;
- Noise level 55-60dBA@7m



### Digital data center VFT

Indicate operation data, easy to read:

- V-Voltage
- F-Frequency
- T-Time for single/total hours

### Auto air venting system

To keep the air pressure balanced between fuel tank and outside, no need to turn on cap knob for fuel supply. Simply the operation.



### Repair cover

Simply remove two screws to disassemble the repair door easily;

Do repair and maintenance work in one location, as follows:

- Engine oil filling and drain
- Air box maintenance
- Spark plug maintenance
- Gasoline drain from carburetor

### Integrated control panel

All control units are integrated in control panel area, easy and simple to operate.

## CFMOTO POWER – Generator G1

Accessory Code: i20, i25, i30

- 15% lower fuel consumption, especially conventional generators;
- 2.5% lower THD stable output for precise instrument;
- 50°C high-temperature environment workable, no overheating shut-down;
- 8 minutes to access to any part, for easy inspection, maintenance or repair;
- Starting direct gravity fuel supply, for better recoil starting by 1-2 pulls;
- Patented outer structure of fully-enclosed housing for strength and lower noise;
- Patented inner structure of dual-fan, dual-air channel, dual-muffler, and double-layer acoustic hood for better cooling, lower emission and noise.



- Fuel gauge, to indicate fuel capacity directly;
- Reset function, no need to restart once overload;
- Separate fuel and electric switch, run out remaining fuel, better for long storage and reuse;
- Date center VFT, to show instant V/Hz/T data;
- AC receptacle, various for different countries;

## CFMOTO POWER – Generator G1


	i20	i25	i27/i30	i45
Engine model	LH148F	LH148F-G	LH148F-G	LH170F
Engine displacement	79cc	79cc	79cc	212 cc
Engine type	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke, OHV
AC Starting power (KW)	2.0	2.4	3.0	4.5
AC Running power (KW)	1.8	2.1	2.1	3.7
DC output	Cig socket: 12V/8A	Cig socket: 12V/8A	Cig socket: 12V/8A	Cig socket: 12V/8A Dual USB 5V/2A
Starting system	Recoil	Recoil	Recoil	Recoil
Noise Level (dba@7m)	52-59	52-59	52-59	55-60
N.W.(KGS)/G.W.(KGS)	19.8/22.5	19.8/22.5	19.8/22.5	36.6/40.3
Dimension(mm)	512*315*447	512*315*447	512*315*447	580*453*481
Packing size(mm)	542*350*506	542*350*506	542*350*506	611*487*530
Oil capacity	400ml	400ml	400ml	600ml
Fuel tank capacity	5L	5L	5L	7L
Running time (hrs)	6-20	5-20	5-20	N/A
THD	<2.5%	<2.5%	<2.5%	<2.5%
ECO mode	Yes	Yes	Yes	Yes
Low Oil alarm	Yes	Yes	Yes	Yes
Overload alarm	Yes	Yes	Yes	Yes
Output indicator	Yes	Yes	Yes	Yes
Reset button	Yes	Yes	Yes	Yes
Fuel gauge	Yes	Yes	Yes	Yes
Certification	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	Euro V emission, EPA	CE, Euro V emission, EMC, EPA

	i45E	i200	i250	i270/i300
Engine model	LH170F	LH148F	LH148F-G	LH148F-G
Engine displacement	212 cc	79cc	79cc	79cc
Engine type	Air cooled, Four-Stroke, OHV	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke
AC Starting power (KW)	4.5	2.0	2.4	3.0
AC Running power (KW)	3.7	1.8	2.1	2.1
DC output	Cig socket: 12V/8A Dual USB 5V/2A	Dual USB 5V/2A	Dual USB 5V/2A	Dual USB 5V/2A
Starting system	Recoil/Electric/Remote	Recoil	Recoil	Recoil
Noise Level (dba@7m)	55-60	52-59	52-59	52-59
N.W.(KGS)/G.W.(KGS)	37.7/41.4	19/21	19/21	19/21
Dimension(mm)	580*453*481	480*315*415	480*315*415	480*315*415
Packing size(mm)	611*487*530	515*345*468	515*345*468	515*345*468
Oil capacity	600ml	400ml	400ml	400ml
Fuel tank capacity	7L	4L	4L	4L
Running time (hrs)	N/A	4.5hrs@75% output	4.5hrs@75% output	4.5hrs@75% output
THD	<2.5%	<2.5%	<2.5%	<2.5%
ECO mode	Yes	Yes	Yes	Yes
Low Oil alarm	Yes	Yes	Yes	Yes
Overload alarm	Yes	Yes	Yes	Yes
Output indicator	Yes	Yes	Yes	Yes
Reset button	Yes	Yes	Yes	Yes
Fuel gauge	Yes	Yes	Yes	Yes
Certification	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	Euro V emission, EPA

## CFMOTO POWER – Power Bank

Accessory Code: P600 PRO

- SiC two-way inverter, the efficiency is as high as 95% or more
- Fast charge 1.5h, no need to wait
- A-turbo technology can drive as high as 1800W electrical application
- Low temperature -20°C application, to cope with severe cold
- Technological style appearance matches outdoor enthusiast



Mains Supply  
1.3h

200W Solar Panel  
1.3h

Car Cigarette Lighter  
1.3h

Generator  
1.3h

**Front View**

**AC Charging: Shortest 1.5 hours, 550W max**

**Solar Charging: About 3.5 hours, 200W max**

**Rear View**

**Car charger: About 5 hours**  
You can recharge the product through the Car Input port. This product supports 12V/24V car chargers.



# CFMOTO POWER

## CFMOTO POWER – Power Bank

Accessory Code: 1360E

- 94V-0 grade fireproof shell, anti-fall and wear-resistant;
- Support three charging methods: Solar charging, Mains charging, and Car charging;
- Two-way inverter fast charging, full power in 2 hours; built-in EPS;
- 4 kinds of interfaces, 9 output ports, multiple devices can be used at the same time;
- Operating temperature: charging -10 C to 40 C, discharging -20 C to 45 C.



## CFMOTO POWER – Power Bank

Function	Specification	P600 pro	1360E
Battery	Battery Type Battery Capacity Cell Cycle Life	Lithium-iron battery 584Wh (15.2V, 38.4Ah) 2000 times ≥70%	Lithium-iron battery 1361Wh (22.5V, 60.5Ah) 3000 times ≥85%
Charging	Mains input Solar Panel input Car Socket (Cigarette Lighter) input USB input	550W max 200W max (DC 11~30V, 12A) 96W max (DC 12V/24V, 8A) N.A.	800W max 400W max (DC 12V~60V/15A) 120W max TYPE-C: PD100W
Discharging	Rated output A-Turbo Surge power USB output DC 5521 output Car Socket (Cigarette Lighter) output Wireless Charge	100V~120V 60Hz: 2*AC 600W (Surge 1800W) (Total) 220V~240V 50Hz: 2*AC 600W (Surge 1800W) (Total) Surge 1800W TYPE-C: 1*100W; 1*60W USB-A: 2*18W 2*12V/10A, 120W max 12V/10A, 120W max N.A.	100V~120V 60Hz: 3*AC 1000W (Total) 220V~240V 50Hz: 2*AC 1000W (Total) N.A. TYPE-C: 2* PD100W USB-A: 2*QC3.0 18W, 2*5V/2.4A 2*12V/5A 12V/10A 10W
Basic information	Weight Dimension Working Temperature  Mode Ambient Light	7.6kg 285*209*214mm Charge: -10 C~45 C Discharge: -20 C~45 C  Boot mode, Defect mode, charging mode, breathing mode, streaming mode, diffusion mode, monochrome mode, OTA upgrade mode, Bluetooth connection mode.	11.2kg 340*235*206mm Charge: -10 C~40 C Discharge: -20 C~45 C  N.A.
Basic information	APP Monitoring	With Bluetooth or WIFI connection, power capacity detection, function setting, remote control, system upgrade	N.A.
	Certification	CE/FCC, JIS, RoHS2.0, Reach	CE/FCC, ETL, PSE, CB, RCM, ROHS

